

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

RECEIVED  
CENTRAL FAX CENTER  
DEC 08 2003  
**OFFICIAL**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Katsuaki SUZUKI et al. Group Art Unit: 1742  
Serial No.: 10/009,309 Examiner: Deborah Yee  
Filed: January 2, 2002  
For: NON-AUSTEMPER TREATED SPHEROIDAL GRAPHITE CAST IRON

For: NON-AUSTEMPER TREATED SPHEROIDAL GRAPHITE CAST IRON

PETITION FOR EXTENSION OF TIME AND  
TRANSMISSION OF FILE UNDER 17 C.P.R. §1.17

Commissioner for Patents  
P. O. Box 1450  
Alexandria, Virginia 22313-1450

卷之三

Transmitted herewith is a response to the outstanding Official Action in the above-identified application. The shortened statutory period having expired November 4, 2003, it is hereby requested that the period for response be extended for one month. There is also attached our Check No. 17150 in the amount of \$110.00 in payment for:

- Extension fee for response within first month pursuant to §1.135(a) (\$110.00) (\$855.00).
- Extension fee for response within second month pursuant to §1.135(a) (\$420.00) (\$210.00).
- Extension fee for response within third month pursuant to §1.136(a) (\$950.00) (\$475.00).

PAGE 39 • ECHO AT 12820803 9/25/17 AM Eastern Standard Time • BY RUSUPTOEXMF-13 • DR5637/2011 • CSID:763 739 8223 • DURATION (min:sec) 02:22:00

Adjustment Date: 02/11/2004 SDIRETA1  
1E731/2003 BHARRISI 00000003 160331 10009309  
01 FC:1252 420.00 CR